Index to
JOURNAL OF ENGINEERING FOR POWER

Volume 82, 1960

The Journal of Engineering for Power for 1960 was issued quarterly in January, April, July, and October.

Issue	Page Numbers
January	1–82
April	83–168
July	169–246
October	247–332

A

ADDITIVES. *See* OIL FUEL

AERODYNAMICS
Presentation of a blade-design method for axial-flow turbines, including design and test results of a typical axial-flow stage..... 19

AGOSTINELLI, A.
Experimental investigation of radial thrust in centrifugal pumps..... 120

ALPERT, SUMNER
Development of a three-stage liquid-cooled gas turbine..... 1

AMSLER R.
Presentation of a blade-design method for axial-flow turbines, including design and test results of a typical axial-flow stage. 19

ANTUNES, FRED F.
Experimental investigation of radial thrust in centrifugal pumps (D)..... 125

AREF, M. N.
Pressurization of granular solid fuels..... 156

ASH. *See* BOILER CORROSION, COAL ASH, AND SLAG

B

BARNHART, D. H.
External corrosion of superheaters in boilers firing high-alkali coals..... 181

BAUMGARTNER, F.
Presentation of a blade-design method for axial-flow turbines, including design and test results of a typical axial-flow stage. 19

BENZ, W. G., JR.
Material selection and fabrication, main steam piping for Eddystone No. 1, 1200–F and 5000-psi service..... 293

BERETSKY, IRWIN
Critical flow velocities for collapse of reactor parallel-plate fuel assemblies (D)..... 91

BERRY, W. R.
Operation of steam turbines to minimize shell cracking (D)..... 241

BINGHAM, G. S.
Water-hammer damage to Oigawa Power Station (D)..... 116

BLADES. *See* AERODYNAMICS, TURBOMACHINERY

BLAST FURNACES. *See* GAS CLEANERS

BOETTCHER, C. E.
Design control of overcompression in rotary-vane compressors (D)..... 226

BOILER CORROSION
Corrosion of superheaters and reheaters of pulverized-coal-fired boilers..... 194
Experimental investigation of fuel additives in a supercharged boiler (using high-vanadium residual oil as fuel)..... 169
External corrosion of superheaters in boilers firing high-alkali coals..... 181
Water-treatment, corrosion, and internal-deposit studies for Eddystone..... 264

BOILER FURNACES. *See* COAL ASH

BOILERS
Selection of materials and fabricating techniques for the Eddystone boiler and Sulzer control valves..... 275

BLUMBERG, HARRY S.
Material selection and fabrication, main piping for Eddystone No. 1, 1200-F and 5000-psi service (D)..... 313

BONIN, C. C.
Water-hammer damage to Oigawa Power Station..... 111

BRANSFORD, E. O.
Design control of overcompression in rotary-vane compressors..... 221

BROWN R. N.
Torsional vibration problem as associated with synchronous motor driven machines..... 215

BRYERS, R. W.
Experimental investigation of fuel additives in a supercharged boiler (using high-vanadium residual oil as fuel)..... 169

BUCKLING. *See* DEFORMATION

C

CAIN, CARL, JR.
Corrosion of superheaters and reheaters of pulverized-coal-fired boilers..... 194

CALISE, V. J.
Water-treatment, corrosion, and internal-deposit studies for Eddystone (D)..... 271

CAMPAU, FRED G.
Operation of steam turbines to minimize shell cracking (D)..... 240

CARLSON, J. J.
Volute pressure distribution, radial force on the impeller, and volute mixing losses of a radial flow centrifugal pump..... 136

CAUGHEY, R. H.
Material selection and fabrication, main steam piping for Eddystone No. 1, 1200-F and 5000-psi service..... 293

CHAPMAN, E. C.
Selection of materials and fabrication techniques for the Eddystone boiler and Sulzer control valves..... 275

CLARK, C. L.
Metallurgical evaluation of superheater-tube alloys after six-months' exposure at temperatures of 1100 to 1500 F..... 35
Selection of materials and fabricating techniques for the Eddystone boiler and Sulzer control valves (D)..... 283
Water-treatment, corrosion, and internal-deposit studies for Eddystone (D)..... 273

COAL. *See* PULVERIZED COAL

COAL ASH AND SLAG
Corrosion of superheaters and reheaters of pulverized-coal-fired boilers..... 194
External corrosion of superheaters in boilers firing high-alkali coals..... 181
Relationship of coal-ash viscosity to chemical composition..... 145

COLLINS, J. O.
Experimental investigation of fuel additives in a supercharged boiler (using high-vanadium residual oil as fuel) (D). 179

COMPRESSORS
Design control of overcompression in rotary-vane compressors..... 221

COOLING SYSTEMS
Development of a three-stage liquid-cooled gas turbine..... 1

CORDOVI, M. A.
Metallurgical evaluation of superheater-tube alloys after six-months' exposure at temperatures of 1100 to 1500 F..... 35

COREY, RICHARD C.
Corrosion of superheaters and reheaters of pulverized-coal-fired boilers (D)..... 201
External corrosion of superheaters in boilers firing high-alkali coals (D)..... 190

CORROSION. *See also* BOILER CORROSION
Metallurgical evaluation of superheater-tube alloys after six-months' exposure at temperatures of 1100 to 1500 F..... 35

COTTON, EUGENE S.
Analysis of solar-furnace performance in mechanical testing at extremely high temperatures (D)..... 332

COTTON, K. C.
Throat tap nozzles used for accurate flow measurements..... 247

COULTER, S. B.
Operation of steam turbines to minimize shell cracking..... 227

CRACKING. *See* THERMAL STRESSES

CRAWFORD, C. C.
Water-hammer damage to Oigawa Power Station (D)..... 118

D

DEAN, ROBERT C., JR.
Design and test of mixed-flow and centrifugal impellers (D)..... 135

DE CORSO, S. M.
Effect of ambient and fuel pressure on spray drop size..... 10

DEFORMATION
Critical flow velocities for collapse of reactor parallel-plate fuel assemblies.. 83

DEMING, N. R.
Throat tap nozzles used for accurate flow measurements (D)..... 253

DIEBLER, HOMER W.
Operation of steam turbines to minimize shell cracking (D)..... 240

DIEHL, E. K.
External corrosion of superheaters in boilers firing high-alkali coals..... 181

DIFFUSERS
Design and test of mixed-flow and centrifugal impellers..... 127

DROP SIZE. *See* SPRAYS

E

EAGELSON, P. S.
Influence of trailing-edge geometry on hydraulic-turbine-blade vibration resulting from vortex excitation (D)..... 109

ELECTRIC MOTORS
Torsional vibration problem as associated with synchronous motor driven machines..... 215

F

FARMER, H. C.
Water-treatment, corrosion, and internal-deposit studies for Eddystone (D)..... 274

FEEDWATER TREATMENT
Water-treatment, corrosion, and internal-deposit studies for Eddystone..... 264

FERROMANGANESE. *See* GAS CLEANERS

FINTAK, G. G.
Propeller turbines of the St. Lawrence Power Project..... 96

FLASCHAR, W. O.
Development of a three-stage liquid-cooled gas turbine..... 1

FLEISCHMANN, J. J.
Operation of steam turbines to minimize shell cracking (D)..... 238

FLOW OF FLUIDS. *See also* AERODYNAMICS, IMPELLERS, PUMPS—CENTRIFUGAL
Critical flow velocities for collapse of reactor parallel-plate fuel assemblies... 83

FLUID DYNAMICS. *See* HYDRAULIC TURBINES

FLUID FRICTION
Basic heat transfer and flow friction characteristics of six compact high-performance heat-transfer surfaces..... 27

FLUID METERS
Throat tap nozzles used for accurate flow measurements..... 247

(D) denotes discussion of a paper.

FOX, E. A.
Development associated with the superpressure turbine for Eddystone Station Unit No. 1 286
FRICTION. *See* FLUID FRICTION
FUELS
Pressurization of granular solid fuels 156
FURNACES. *See* SOLAR ENERGY

G

GALLETLY, G. D.
Influence coefficients for open-crown hemispheres 73
GAS CLEANERS
Blast-furnace-gas cleaning for iron and ferromanganese production 68
GAS TURBINES
Considerations for the reduction of noise in ship installations of gas turbines 205
Development of a three-stage liquid-cooled gas turbine 1
Marine gas turbines (errata) 82
GIBELING, A. H.
Throat tap nozzles used for accurate flow measurements (D) 255
GILMAN, F. C.
Volute pressure distribution, radial force on the impeller, and volute mixing losses of a radial flow centrifugal pump (D) .. 143
GRABOWSKI, H. A.
Water-treatment, corrosion, and internal-deposit studies for Eddystone 264
GRANULAR MATERIALS. *See* FUELS, PULVERIZED COAL
GREY, R. E.
Development of a three-stage liquid-cooled gas turbine 1

H

HAMRICK, JOSEPH T.
Design and test of mixed-flow and centrifugal impellers 127
HAUGHTON, C. B., JR.
Throat tap nozzles used for accurate flow measurements (D) 255
HEAT-EXCHANGE EQUIPMENT
Basic heat transfer and flow friction characteristics of six compact high-performance heat-transfer surfaces 27
HEAT TRANSFER
Basic heat transfer and flow friction characteristics of six compact high-performance heat-transfer surfaces 27
HEMISPHERES. *See* SHELLS
HERRMANN, EDWARD M.
Considerations for the reduction of noise in ship installations of gas turbines ... 205
HERSHEY, A. E.
Experimental investigation of fuel additives in a supercharged boiler (using high-vanadium residual oil as fuel) (D). 179
HESKESTAD, GUNNAR
Influence of trailing-edge geometry on hydraulic-turbine-blade vibration resulting from vortex excitation 103
HIGH-TEMPERATURE MATERIALS. *See* BOILERS, PIPE AND PIPING, STEEL ALLOYS, VALVES
HIGH-TEMPERATURE RESEARCH
Analysis of solar-furnace performance in mechanical testing at extremely high temperatures 325
HYDRAULIC TURBINES
Influence of trailing-edge geometry on hydraulic-turbine-blade vibration resulting from vortex excitation 103
Propeller turbines of the St Lawrence Power Project 96
HYDRODYNAMICS. *See* AERODYNAMICS, HYDRAULIC TURBINES

I

IMPELLERS. *See also* PUMPS—CENTRIFUGAL
Design and test of mixed-flow and centrifugal impellers 127
INFLUENCE COEFFICIENTS. *See* SHELLS
INSTRUMENTS—PRESSURE
Volute pressure distribution, radial force on the impeller, and volute mixing losses of a radial flow centrifugal pump 136
IVERSEN, H. W.
Volute pressure distribution, radial force on the impeller, and volute mixing losses of a radial flow centrifugal pump 136

J

JACKSON, R. L.
Operation of steam turbines to minimize shell cracking 227
JENIKE, ANDREW W.
Pressurization of granular solid fuels (D) 167
JOHANSSON, E. B.
Critical flow velocities for collapse of reactor parallel-plate fuel assemblies (D) 92

K

KAYS, W. M.
Basic heat transfer and flow friction characteristics of six compact high-performance heat-transfer surfaces 27
KEARNS, J. F.
Blast-furnace-gas cleaning for iron and ferromanganese production 68
KOVATS, ANDRE
Experimental investigation of radial thrust in centrifugal pumps (D) 125
KRAMER, JAMES J.
Design and test of mixed-flow and centrifugal impellers 127
KREISLE, LEONARDT F.
Torsional vibration problems as associated with synchronous motor driven machines (D) 219

L

LEBRETON, A. F.
Development associated with the superpressure turbine for Eddystone Station Unit No. 1 286
LEHMKUHL, H. F.
Design control of overcompression in rotary-vane compressors (D) 226
LEON, G. S.
Analysis of solar-furnace performance in mechanical testing at extremely high temperatures 325
LEVENTHAL, E. L.
Solar turbo power plant design (for the moon) 315
LORENTZ, R. E., JR.
Selection of materials and fabricating techniques for the Eddystone boiler and Sulzer control valves 275

M

MCILROY, J. B.
Relationship of coal-ash viscosity to chemical composition 145
MACKAY, D. B.
Solar turbo power plant design (for the moon) 315
MACKAY, J. S.
Blast-furnace-gas cleaning for iron and ferromanganese production 68
MARINE ENGINEERING. *See* GAS TURBINES
MATERIALS TESTING. *See* HIGH TEMPERATURE RESEARCH
METAL CREEP
Metallurgical evaluation of superheater-tube alloys after six-months' exposure at temperatures of 1100 to 1500 F 35
METAL FAILURES
Torsional vibration problem as associated with synchronous motor driven machines 215
METAL TESTING
Material selection and fabrication, main steam piping for Eddystone No. 1, 1200-F and 5000-psi service 293
METALLURGY
Metallurgical evaluation of superheater-tube alloys after six-months' exposure at temperatures of 1100 to 1500 F 35
MILLER, D. R.
Critical flow velocities for collapse of reactor parallel-plate fuel assemblies .. 83
MILLS, ROBERT G.
Considerations for the reduction of noise in ship installations of gas turbines (D). 124
MOCHEL, N. L.
Development associated with the superpressure turbine for Eddystone Station Unit No. 1 (D) 292
MOCKRIDGE, C. E.
Experimental investigation of radial thrust in centrifugal pumps 120
MODELS
Experimental investigation of fuel additives in a supercharged boiler (using high-vanadium residual oil as fuel) 169
MOON. *See* SOLAR ENERGY
MURDOCK, JAMES W.
Throat tap nozzles used for accurate flow measurements (D) 256
MURPHY, PAUL, JR.
Operation of steam turbines to minimize shell cracking (D) 240

N

NEALE, LAWRENCE C.
Throat tap nozzles used for accurate flow measurements (D) 257
NELSON, WHARTON
Corrosion of superheaters and reheaters of pulverized-coal-fired boilers 194
NOBLES, G.
Experimental investigation of radial thrust in centrifugal pumps 120
NOISE REDUCTION. *See* VIBRATION MOUNTINGS
NOZZLES. *See also* SPRAYS
Throat tap nozzles used for accurate flow measurements 247
NYE, EDWIN P.
Water-treatment, corrosion, and internal-deposit studies for Eddystone (D) 274

O

OIL FUEL
Experimental investigation of fuel additives in a supercharged boiler (using high-vanadium residual oil as fuel) 169
OLBERTS, D. R.
Influence of trailing-edge geometry on hydraulic-turbine-blade vibration resulting from vortex excitation 103
ORNING, A. A.
Corrosion of superheaters and reheaters of pulverized-coal-fired boilers (D) 202
OSBORN, WALTER M.
Design and test of mixed-flow and centrifugal impellers 127

P

PATTERSON, R. C.
Water-treatment, corrosion, and internal-deposit studies for Eddystone 264
PHOTOGRAPHY
Effect of ambient and fuel pressure on spray drop size 10
PIPE AND PIPING
Material selection and fabrication, main steam piping for Eddystone No. 1, 1200-F and 5000-psi service 293
POWER PLANTS. *See* SOLAR ENERGY
POWER PLANTS—HYDROELECTRIC. *See* HYDRAULIC TURBINES, WATER HAMMER
POWER PLANTS—STEAM. *See* BOILER CORROSION, BOILERS, FEEDWATER TREATMENT, STEAM TURBINES, VALVES
PULVERIZED COAL. *See also* BOILER CORROSION
Pressurization of granular solid fuels 156
PUMPS—CENTRIFUGAL
Experimental investigation of radial thrust in centrifugal pumps 120
Volute pressure distribution, radial force on the impeller, and volute mixing losses of a radial flow centrifugal pump 136
PUMPS—SOLID FUEL
Pressurization of granular solid fuels 156

R

REHEATERS. *See* BOILER CORROSION
REID, WILLIAM T.
Corrosion of superheaters and reheaters of pulverized-coal-fired boilers (D) 202
External corrosion of superheaters in boilers firing high-alkali coals (D) 191

(D) denotes discussion of a paper.

REID (*continued*)
Relationship of coal-ash viscosity to chemical composition (D) 153

RESIDUAL OIL. *See* OIL FUEL

ROLLING, R. E.
Volute pressure distribution, radial force on the impeller, and volute mixing losses of a radial flow centrifugal pump 136

ROSECKY, E. J.
Operation of steam turbines to minimize shell cracking (D) 238

ROTORS
Development associated with the super-pressure turbine for Eddystone Station Unit No. 1 286

RUTHERFORD, J. J. B.
Metallurgical evaluation of superheater-tube alloys after six-months' exposure at temperatures of 1100 to 1500 F 35

S

SAGE, W. L.
Relationship of coal-ash viscosity to chemical composition 145

SAWYER, JOHN W.
Marine gas turbines (errata) 82

SEDOR, P.
External corrosion of superheaters in boilers firing high-alkali coals 181

SHANK, M. E.
Analysis of solar-furnace performance in mechanical testing at extremely high temperatures 325

SHELLS
Influence coefficients for open-crown hemispheres 73

SIMONS, EDWARD L.
Corrosion of superheaters and reheaters of pulverized-coal-fired boilers (D) 202

SIMPSON, HARRY M.
Marine gas turbines (errata) 82

SINTON, W.
Operation of steam turbines to minimize shell cracking (D) 241

SMITH, R. E., JR.
Throat tap nozzles used for accurate flow measurements (D) 258

SPRAYS
Effect of ambient and fuel pressure on spray drop size 10

SPRENKLE, R. E.
Throat tap nozzles used for accurate flow measurements (D) 258

SOLAR ENERGY
Analysis of solar-furnace performance in mechanical testing at extremely high temperatures 325
Solar turbo power plant design (for the moon) 315

STEAM SUPERHEATERS. *See also* BOILER CORROSION
Metallurgical evaluation of superheater-tube alloys after six-months' exposure at temperatures of 1100 to 1500 F 35

STEAM TURBINES
Development associated with the super-pressure turbine for Eddystone Station Unit No. 1 286
Operation of steam turbines to minimize shell cracking 227

STEEL ALLOYS
Metallurgical evaluation of superheater-tube alloys after six-months' exposure at temperatures of 1100 to 1500 F 35

STEIN, R. A.
Design control of overcompression in rotary-vane compressors 221

STRAIN GAGES
Experimental investigation of radial thrust in centrifugal pumps 120

SUPERHEATERS. *See* BOILER CORROSION, STEAM SUPERHEATERS

SUTHERLAND, ROBERT A.
Water-hammer damage to Oigawa Power Station (D) 118

T

TANG, Y. S.
Solar turbo power plant design (for the moon) (D) 323

THERMAL STRESSES
Operation of steam turbines to minimize shell cracking 227

TOEBES, G. H.
Influence of trailing-edge geometry on hydraulic-turbine-blade vibration resulting from vortex excitation (D) 109

TORQUE. *See* VIBRATION

TORSION. *See* VIBRATION

TRUMPLER, W. E., JR.
Development associated with the super-pressure turbine for Eddystone Station Unit No. 1 286

TURBINE TESTING
Operation of steam turbines to minimize shell cracking 227

TURBOMACHINERY
Presentation of a blade-design method for axial-flow turbines, including design and test results of a typical axial-flow stage. 19

U

ULLOCK, DONALD S.
Experimental investigation of radial thrust in centrifugal pumps (D) 125

ULMER, R. C.
Water-treatment, corrosion, and internal-deposit studies for Eddystone 264

V

VALVES
Selection of materials and fabricating techniques for the Eddystone boiler and Sulzer control valves 275

VIBRATION
Influence of trailing-edge geometry on hydraulic-turbine-blade vibration resulting from vortex excitation 103
Torsional vibration problem as associated with synchronous motor driven machines 215

VIBRATION MOUNTINGS
Considerations for the reduction of noise in ship installations of gas turbines 205

W

WALKER, C. L.
Solar turbo power plant design (for the moon) (D) 323

WATER HAMMER
Water-hammer damage to Oigawa Power Station 111

WELDING
Material selection and fabrication, main steam piping for Eddystone No. 1, 1200-F and 5000-psi service 293

WESTCOTT, J. C.
Throat tap nozzles used for accurate flow measurements 247

WILDER, A. B.
Material selection and fabrication, main steam piping for Eddystone No. 1, 1200-F and 5000-psi service (D) 314
Metallurgical evaluation of superheater-tube alloys after six-months' exposure at temperatures of 1100 to 1500 F 35

WILKINS, D. M.
Relationship of coal-ash viscosity to chemical composition (D) 153

WILLIAMSON, R. B.
Development associated with the super-pressure turbine for Eddystone Station Unit No. 1 286

WILLSEY, W. B.
Water-treatment, corrosion, and internal-deposit studies for Eddystone (D) 274

WINKIN, J. P.
External corrosion of superheaters in boilers firing high-alkali coals (D) 192

Y

YELLOTT, JOHN J.
Pressurization of granular solid fuels (D) .. 167

YOUNG, W. E.
Experimental investigation of fuel additives in a supercharged boiler (using high-vanadium residual oil as fuel) (D) . 179

Z

ZOSCHAK, R. J.
Experimental investigation of fuel additives in a supercharged boiler (using high-vanadium residual oil as fuel) 169

(D) denotes discussion of paper.